

*Disclaimer: Images are for illustrative purposes.*

## Pop Blind Rivet

**Head Style:** Dome Head


**Shell Material:** Steel Zinc Plated

**Stem Material:** Steel Zinc Plated

**Corrosion Protection Level:** Moderate

**Standard:** DIN7337

**Comments:** When selecting the right rivet, start with hole size and grip range.



Industry Rivet Code	Rivet Diameter (A) (mm)	Head Diameter (B) (mm)		Shell Length (L) (mm)	Material Grip Range (G) (mm)		Stem Diameter (W) (mm)		Hole Size (mm)	Tensile	Shear	sku (Part Number)
		Min	Max	Nom	Min	Max	Min	Max		Nom	Nom	
73 SS 4-2	3.20 (1/8)	6.05	6.65	7.00	1.70	3.20	1.70	2.00	3.30	1379	1157	73SS42
73 SS 4-3	3.20 (1/8)	6.05	6.65	8.60	3.30	4.80	1.70	2.00	3.30	1379	1157	73SS43
73 SS 4-4	3.20 (1/8)	6.05	6.65	10.20	4.90	6.40	1.70	2.00	3.30	1379	1157	73SS44
73 SS 4-5	3.20 (1/8)	6.05	6.65	11.70	6.50	7.90	1.70	2.00	3.30	1379	1157	73SS45
73 SS 4-6	3.20 (1/8)	6.05	6.65	13.40	8.00	9.50	1.70	2.00	3.30	1379	1157	73SS46
73 SS 4-8	3.20 (1/8)	6.05	6.65	16.50	9.60	12.70	1.70	2.00	3.30	1379	1157	73SS48
73 SS 5-2	4.00 (5/32)	7.52	8.33	7.60	0.50	3.20	2.10	2.50	4.10	2091	1646	73SS52
73 SS 5-3	4.00 (5/32)	7.52	8.33	9.20	3.30	4.80	2.10	2.50	4.10	2091	1646	73SS53
73 SS 5-4	4.00 (5/32)	7.52	8.33	10.80	4.90	6.40	2.10	2.50	4.10	2091	1646	73SS54
73 SS 5-6	4.00 (5/32)	7.52	8.33	14.00	7.90	9.50	2.10	2.50	4.10	2091	1646	73SS56
73 SS 5-8	4.00 (5/32)	7.52	8.33	17.20	9.60	12.70	2.10	2.50	4.10	2091	1646	73SS58
73 SS 6-2	4.80 (3/16)	9.04	10.00	8.30	0.50	3.20	2.50	2.90	4.90	3025	2402	73SS62
73 SS 6-3	4.80 (3/16)	9.04	10.00	9.80	3.30	4.80	2.50	2.90	4.90	3025	2402	73SS63
73 SS 6-4	4.80 (3/16)	9.04	10.00	11.50	4.90	6.40	2.50	2.90	4.90	3025	2402	73SS64
73 SS 6-5	4.80 (3/16)	9.04	10.00	12.90	6.50	7.90	2.50	2.90	4.90	3025	2402	73SS65

Industry Rivet Code	Rivet Diameter (A) (mm)	Head Diameter (B) (mm)		Shell Length (L) (mm)	Material Grip Range (G) (mm)		Stem Diameter (W) (mm)		Hole Size (mm)	Tensile	Shear	sku (Part Number)
		Min	Max	Nom	Min	Max	Min	Max		Nom	Nom	
73 SS 6-6	4.80 (3/16)	9.04	10.00	14.60	8.00	9.50	2.50	2.90	4.90	3025	2402	73SS66
73 SS 6-8	4.80 (3/16)	9.04	10.00	17.80	9.60	12.70	2.50	2.90	4.90	3025	2402	73SS68
73 SS 6-10	4.80 (3/16)	9.04	10.00	21.00	12.70	15.90	2.50	2.90	4.90	3025	2402	73SS610
73 SS 6-12	4.80 (3/16)	9.04	10.00	24.20	16.00	19.10	2.50	2.90	4.90	3025	2402	73SS612
73 SS 8-4	6.40 (1/4)	12.07	13.33	12.70	3.30	6.40	3.65	3.90	6.50	5516	4448	73SS84
73 SS 8-6	6.40 (1/4)	12.07	13.33	15.90	8.10	9.50	3.65	3.90	6.50	5516	4448	73SS86
73 SS 8-8	6.40 (1/4)	12.07	13.33	19.10	9.60	12.70	3.65	3.90	6.50	5516	4448	73SS88

**Disclaimer:**

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 17 Mar 2026