

*Disclaimer: Images are for illustrative purposes.*

## Pop Blind Rivet

**Head Style:** Dome Head


**Shell Material:** Stainless G304

**Stem Material:** Steel Zinc Plated

**Corrosion Protection Level:** Moderate

**Standard:** DIN7337

**Comments:** When selecting the right rivet, start with hole size and grip range.



| Industry Rivet Code | Rivet Diameter (A)<br>(mm) | Head Diameter (B)<br>(mm) | Shell Length (L)<br>(mm) | Material Grip Range (G)<br>(mm) |      | Stem Diameter (W)<br>(mm) |      | Hole Size<br>(mm) | Tensile | Shear | sku<br>(Part Number) |
|---------------------|----------------------------|---------------------------|--------------------------|---------------------------------|------|---------------------------|------|-------------------|---------|-------|----------------------|
|                     |                            | Nom                       | Nom                      | Min                             | Max  | Min                       | Max  |                   | Nom     | Nom   |                      |
| 73 STS 4-1          | 3.20 (1/8)                 | 6.30                      | 5.40                     | 0.50                            | 1.60 | 1.70                      | 2.00 | 3.30              | 2358    | 1868  | 73STS41              |
| 73 STS 4-2          | 3.20 (1/8)                 | 6.30                      | 7.00                     | 1.60                            | 3.20 | 1.70                      | 2.00 | 3.30              | 2358    | 1868  | 73STS42              |
| 73 STS 4-3          | 3.20 (1/8)                 | 6.30                      | 8.60                     | 3.20                            | 4.80 | 1.70                      | 2.00 | 3.30              | 2358    | 1868  | 73STS43              |
| 73 STS 4-4          | 3.20 (1/8)                 | 6.30                      | 10.20                    | 4.80                            | 6.40 | 1.70                      | 2.00 | 3.30              | 2358    | 1868  | 73STS44              |
| 73 STS 4-6          | 3.20 (1/8)                 | 6.30                      | 13.30                    | 7.90                            | 9.50 | 1.70                      | 2.00 | 3.30              | 2358    | 1868  | 73STS46              |
| 73 STS 5-2          | 4.00 (5/32)                | 8.00                      | 7.60                     | 0.50                            | 3.20 | 2.10                      | 2.50 | 4.10              | 2358    | 1868  | 73STS52              |
| 73 STS 5-3          | 4.00 (5/32)                | 8.00                      | 9.20                     | 3.20                            | 4.80 | 2.10                      | 2.50 | 4.10              | 2358    | 1868  | 73STS53              |
| 73 STS 5-4          | 4.00 (5/32)                | 8.00                      | 10.80                    | 4.80                            | 6.40 | 2.10                      | 2.50 | 4.10              | 2358    | 1868  | 73STS54              |
| 73 STS 5-5          | 4.00 (5/32)                | 8.00                      | 12.10                    | 6.40                            | 7.90 | 2.10                      | 2.50 | 4.10              | 2358    | 1868  | 73STS55              |
| 73 STS 5-6          | 4.00 (5/32)                | 8.00                      | 14.00                    | 7.90                            | 9.50 | 2.10                      | 2.50 | 4.10              | 2358    | 1868  | 73STS56              |
| 73 STS 6-2          | 4.80 (3/16)                | 9.35                      | 8.30                     | 0.50                            | 3.20 | 2.50                      | 2.90 | 4.90              | 2358    | 1868  | 73STS62              |
| 73 STS 6-3          | 4.80 (3/16)                | 9.35                      | 9.80                     | 3.20                            | 4.80 | 2.50                      | 2.90 | 4.90              | 2358    | 1868  | 73STS63              |
| 73 STS 6-4          | 4.80 (3/16)                | 9.35                      | 11.40                    | 4.80                            | 6.40 | 2.50                      | 2.90 | 4.90              | 2358    | 1868  | 73STS64              |
| 73 STS 6-5          | 4.80 (3/16)                | 9.35                      | 12.90                    | 6.40                            | 7.90 | 2.50                      | 2.90 | 4.90              | 2358    | 1868  | 73STS65              |
| 73 STS 6-6          | 4.80 (3/16)                | 9.35                      | 14.60                    | 7.90                            | 9.50 | 2.50                      | 2.90 | 4.90              | 2358    | 1868  | 73STS66              |

| Industry Rivet Code | Rivet Diameter (A)<br>(mm) | Head Diameter (B)<br>(mm) | Shell Length (L)<br>(mm) | Material Grip Range (G)<br>(mm) |       | Stem Diameter (W)<br>(mm) |      | Hole Size<br>(mm) | Tensile | Shear | sku<br>(Part Number) |
|---------------------|----------------------------|---------------------------|--------------------------|---------------------------------|-------|---------------------------|------|-------------------|---------|-------|----------------------|
|                     |                            | Nom                       | Nom                      | Min                             | Max   | Min                       | Max  |                   | Nom     | Nom   |                      |
| 73 STS 6-8          | 4.80 (3/16)                | 9.35                      | 17.80                    | 9.50                            | 12.70 | 2.50                      | 2.90 | 4.90              | 2358    | 1868  | 73STS68              |
| 73 STS 6-10         | 4.80 (3/16)                | 9.35                      | 20.60                    | 12.70                           | 16.00 | 2.50                      | 2.90 | 4.90              | 2358    | 1868  | 73STS610             |
| 73 STS 6-10         | 4.80 (3/16)                | 9.35                      | 25.40                    | 16.00                           | 20.00 | 2.50                      | 2.90 | 4.90              | 2358    | 1868  | 73STS612             |

**Disclaimer:**

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 17 Mar 2026