

Disclaimer: Images are for illustrative purposes.


INOX Drill Bit

System Of Measurement: Metric

Material: M2 High Speed Steel

Product Brand: Sutton Tools

Unique Features: 70% more life than a standard drill bit



Size (S)	Drill Length (L) (mm)	Flute Length (FL) (mm)	Drill Chuck Size (inches)	Countersink Angle	Point	Country Of Origin	Suitable For	Packaging	sku (Part Number)
		Nom							
M1	34	8	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	121ISC
M1.5	40	11	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	121.5ISC
M2	49	14	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	122ISC
M2.5	57	16	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	122.5ISC
M3	61	18	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	123ISC
M3.3	65	20	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	123.3ISC
M3.5	70	22	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	123.5ISC
M4	75	25	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	124ISC
M4.2	75	25	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	124.2ISC
M4.5	80	28	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	124.5ISC
M5	86	32	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	125ISC
M5.5	93	36	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	125.5ISC
M6	93	36	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	126ISC
M6.5	101	40	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	126.5ISC
M7	109	45	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	127ISC
M7.5	109	45	Upto 1/2	40°	130° Split Point	New Zealand	Stainless, Soft Steel & Aluminium	Carded	127.5ISC

Size (S)	Drill Length (L) (mm)	Flute Length (FL) (mm)	Drill Chuck Size (inches)	Countersink Angle	Point	Country Of Origin	Suitable For	Packaging	sku (Part Number)
		Nom							
M8	117	51	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	128ISC
M8.5	117	51	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	128.5ISC
M9	125	57	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	129ISC
M9.5	125	57	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	129.5ISC
M10	133	63	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	1210ISC
M10.5	133	63	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	1210.5ISC
M11	142	71	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	1211ISC
M11.5	142	71	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	1211.5ISC
M12	151	78	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	12M12ISC
M12.5	151	78	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	1212.5ISC
M13	151	78	Upto 1/2	40°	130° Split Point	New Zealand	Stainless,Soft Steel & Aluminium	Carded	1213ISC

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 19 Mar 2026