

Disclaimer: Images are for illustrative purposes.


External Circlip

Material: Stainless Steel

Class Grade: G420

Corrosion Protection Level: Very Good

Standard: DIN 471



Size	Groove Size (G) (mm)	Groove Width (W) (mm)	Inside Dia. (ID) (mm)	Outside Dia. (D) (mm)	Thickness (T) (mm)	Hole Size Min (D5) (mm)	Lug Height Max (A) (mm)	Max Ring Dia (B) (mm)	sku (Part Number)
	Nom	Nom	Nom	Nom	Nom	Nom	Nom	Nom	
3mm	2.80	0.50	2.70	3.50	0.40	1.00	1.90	0.80	37CXS3
4mm	3.80	0.50	3.70	4.90	0.40	1.00	2.20	0.90	37CXS4
5mm	4.80	0.70	4.70	6.45	0.60	1.00	2.50	1.10	37CXS5
6mm	5.70	0.80	5.60	7.30	0.70	1.20	2.70	1.30	37CXS6
7mm	6.70	0.90	6.50	8.90	0.80	1.20	3.10	1.40	37CXS7
8mm	7.60	0.90	7.40	9.60	0.80	1.20	3.20	1.50	37CXS8
9mm	8.60	1.10	8.40	11.20	1.00	1.20	3.30	1.70	37CXS9
10mm	9.60	1.10	9.30	12.20	1.00	1.50	3.30	1.80	37CXS10
11mm	10.50	1.10	10.20	13.10	1.00	1.50	3.30	1.80	37CXS11
12mm	11.50	1.10	11.00	14.50	1.00	1.70	3.30	1.80	37CXS12
13mm	12.40	1.10	11.90	15.00	1.00	1.70	3.40	2.00	37CXS13
14mm	13.40	1.10	12.90	16.20	1.00	1.70	3.50	2.10	37CXS14
15mm	14.30	1.10	13.80	17.30	1.00	1.70	3.60	2.20	37CXS15
16mm	15.20	1.10	14.70	18.10	1.00	1.70	3.70	2.20	37CXS16
17mm	16.20	1.10	15.70	19.10	1.00	1.70	3.80	2.30	37CXS17

Size	Groove Size (G) (mm)	Groove Width (W) (mm)	Inside Dia. (ID) (mm)	Outside Dia. (D) (mm)	Thickness (T) (mm)	Hole Size Min (D5) (mm)	Lug Height Max (A) (mm)	Max Ring Dia (B) (mm)	sku (Part Number)
	Nom	Nom	Nom	Nom	Nom	Nom	Nom	Nom	
18mm	17.00	1.10	16.50	20.30	1.20	2.00	3.90	2.40	37CXS18
19mm	18.00	1.30	17.50	21.10	1.20	2.00	3.90	2.50	37CXS19
20mm	19.00	1.30	18.50	22.60	1.20	2.00	4.00	2.60	37CXS20
21mm	20.00	1.30	19.50	23.40	1.20	2.00	4.10	2.70	37CXS21
22mm	21.00	1.30	20.50	24.70	1.20	2.00	4.20	2.80	37CXS22
23mm	22.00	1.30	21.40	25.70	1.20	2.00	4.30	2.90	37CXS23
24mm	22.90	1.30	22.20	27.00	1.20	2.00	4.40	3.00	37CXS24
25mm	23.90	1.30	23.20	28.00	1.20	2.00	4.40	3.00	37CXS25
26mm	24.90	1.30	24.20	28.60	1.20	2.00	4.50	3.10	37CXS26
27mm	25.60	1.30	25.10	29.70	1.20	2.00	4.60	3.10	37CXS27
28mm	26.60	1.60	25.90	30.70	1.50	2.00	4.70	3.20	37CXS28
29mm	27.60	1.60	26.90	31.90	1.50	2.00	4.80	3.40	37CXS29
30mm	28.60	1.60	27.90	33.25	1.50	2.00	5.00	3.50	37CXS30
32mm	30.30	1.60	29.60	34.90	1.50	2.50	5.20	3.55	37CXS32
34mm	32.30	1.60	31.50	36.80	1.50	2.50	5.40	3.90	37CXS34
35mm	33.00	1.60	32.20	38.00	1.50	2.50	5.60	3.90	37CXS35
36mm	34.00	1.85	33.20	39.40	1.75	2.50	5.60	4.00	37CXS36
38mm	36.00	1.85	35.20	41.90	1.75	2.50	5.80	4.20	37CXS38
39mm	37.00	1.85	36.00	42.40	1.75	2.50	5.90	4.30	37CXS39
40mm	37.50	1.85	36.50	43.50	1.75	2.50	6.00	4.40	37CXS40
42mm	39.50	1.85	38.50	45.00	1.75	2.50	6.50	4.50	37CXS42
45mm	42.50	1.85	41.50	48.30	1.75	2.50	6.70	4.70	37CXS45
48mm	45.50	1.85	44.50	51.50	1.75	2.50	6.90	4.80	37CXS48
50mm	47.00	2.15	45.80	53.20	2.00	2.50	6.90	5.10	37CXS50
55mm	52.00	2.15	50.80	58.40	2.00	2.50	6.90	5.40	37CXS55
60mm	57.00	2.15	55.80	64.00	2.00	2.50	7.40	5.80	37CXS60
65mm	62.00	2.65	60.80	69.90	2.50	3.00	7.80	6.30	37CXS65

Size	Groove Size (G) (mm)	Groove Width (W) (mm)	Inside Dia. (ID) (mm)	Outside Dia. (D) (mm)	Thickness (T) (mm)	Hole Size Min (D5) (mm)	Lug Height Max (A) (mm)	Max Ring Dia (B) (mm)	sku (Part Number)
	Nom	Nom	Nom	Nom	Nom	Nom	Nom	Nom	
70mm	67.00	2.65	65.50	75.20	2.50	3.00	8.10	6.60	37CXS70
75mm	72.00	2.65	70.50	80.00	2.50	3.00	8.40	7.00	37CXS75
80mm	76.50	2.65	74.50	86.00	2.50	3.00	8.60	7.40	37CXS80
85mm	81.50	3.15	79.50	92.00	3.00	3.50	8.70	7.80	37CXS85
95mm	91.50	3.15	89.50	103.00	3.00	3.50	9.40	8.60	37CXS95
100mm	96.50	3.15	94.50	108.00	3.00	3.50	9.60	9.00	37CXS100

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 17 Mar 2026