

Disclaimer: Images are for illustrative purposes.

Sleeve Anchor

Head Style: Hex Flange Head


Material: Carbon Steel

Class Grade: Low Tensile Class 4.6

Material Finish: Galvanised

Corrosion Protection Level: Excellent

Internal External: External



Size	Thread Size x Pitch	Length (L) (mm)	Flange Diameter (F) (mm)	Max Fast Thickness (G) (mm)	Drill Hole Depth (mm)	Drill Hole Size (mm)	Spanner Size (AS) (mm)	sku (Part Number)
M8	M6 x 1.00p	40	13	15	25	8	10mm	65SA840G
M8	M6 x 1.00p	65	13	30	35	8	10mm	65SA865G
M8	M6 x 1.00p	85	13	35	50	8	10mm	65SA885G
M10	M8 x 1.25p	40	17	5	35	10	13mm	65SA1040G
M10	M8 x 1.25p	50	17	10	40	10	13mm	65SA1050G
M10	M8 x 1.25p	60	17	10	50	10	13mm	65SA1060G
M10	M8 x 1.25p	75	17	20	55	10	13mm	65SA1075G
M10	M8 x 1.25p	100	17	40	60	10	13mm	65SA10100G
M10	M8 x 1.25p	125	17	50	75	10	13mm	65SA10125G
M12	M10 x 1.50p	60	20	20	40	12	15mm	65SA1260G
M12	M10 x 1.50p	80	20	25	50	12	15mm	65SA1275G
M12	M10 x 1.50p	100	20	40	60	12	15mm	65SA12100G
M12	M10 x 1.50p	130	20	50	80	12	15mm	65SA12130G
M16	M12 x 1.75p	65	24	10	55	16	19mm	65SA1665G
M16	M12 x 1.75p	110	24	40	70	16	19mm	65SA16110G
M16	M12 x 1.75p	145	24	50	95	16	19mm	65SA16145G

Size	Thread Size x Pitch	Length (L) (mm)	Flange Diameter (F) (mm)	Max Fast Thickness (G) (mm)	Drill Hole Depth (mm)	Drill Hole Size (mm)	Spanner Size (AS) (mm)	sku (Part Number)
M20	M16 x 2.00p	75	33	15	60	20	24mm	65SA2075G
M20	M16 x 2.00p	105	33	25	80	20	24mm	65SA20105G
M20	M16 x 2.00p	160	33	50	100	20	24mm	65SA20150G

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 17 Mar 2026