

Disclaimer: Images are for illustrative purposes.

Cyclone Roofing Timber Screw

Head Style: Hex Flange Head

Drive Type: Hex

Neo: Multiseal BRA Washer

Screw Point: Type 17 for Timber


Material: Hardened Steel

Class Grade: Class 4 / B8® Cat 5

Finish: Galvanised

Corrosion Protection Level: Excellent

Internal External: External



Size	Thread Pitch (TPI)	Thread Type	Product Diameter (D) (mm)		Head Diameter (A) (mm)		Head Height (H) (mm)	Single Shear (kN)	Axial Tensile (kN)	Torsional (Nm)	Driver Bit Size (AS) (inches)	Colour	sku (Part Number)
			Min	Max	Min	Max	Nom	Nom	Nom	Nom			
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Basalt / Granite	06CY141050C4BRABA
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Classic Cream / Smooth Cream / Ivory	06CY141050C4BRACC
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Deep Ocean / Mountain Blue	06CY141050C4BRADO
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Dune / Birch / Grey	06CY141050C4BRADU
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Evening Haze / Moss Vale Sand	06CY141050C4BRAEH
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Ironstone / Grey Rock	06CY141050C4BRAIS
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Jasper / Taupe / Mocca	06CY141050C4BRAJA
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Manor Red / Heritage Red	06CY141050C4BRAMR
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Monument / Thunder / Charcoal	06CY141050C4BRAMO

Size	Thread Pitch (TPI)	Thread Type	Product Diameter (D) (mm)		Head Diameter (A) (mm)		Head Height (H) (mm)	Single Shear (kN)	Axial Tensile (kN)	Torsional (Nm)	Driver Bit Size (AS) (inches)	Colour	sku (Part Number)
			Min	Max	Min	Max	Nom	Nom	Nom	Nom			
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Pale Eucalypt / Mist Green	06CY141050C4BRAPE
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Paperbark / Beige / Merino	06CY141050C4BRAPA
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Shale Grey / Gull Grey	06CY141050C4BRASG
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Surfmist / Off White / Titanium	06CY141050C4BRASU
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Windspray / Dark Grey / Armour Grey	06CY141050C4BROWS
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Woodland Grey / Pewter / Slate Grey	06CY141050C4BRAWG
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Basalt / Granite	06CY141065C4BRABA
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Classic Cream / Smooth Cream / Ivory	06CY141065C4BRACC
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Deep Ocean / Mountain Blue	06CY141065C4BRADO
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Dune / Birch / Grey	06CY141065C4BRADU
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Evening Haze / Moss Vale Sand	06CY141065C4BRAEH
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Ironstone / Grey Rock	06CY141065C4BRAIS
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Jasper / Taupe / Mocca	06CY141065C4BRAJA
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Manor Red / Heritage Red	06CY141065C4BRAMR
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Monument / Thunder / Charcoal	06CY141065C4BRAMO
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Pale Eucalypt / Mist Green	06CY141065C4BRAPE
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Paperbark / Beige / Merino	06CY141065C4BRAPA

Size	Thread Pitch (TPI)	Thread Type	Product Diameter (D) (mm)		Head Diameter (A) (mm)		Head Height (H) (mm)	Single Shear (kN)	Axial Tensile (kN)	Torsional (Nm)	Driver Bit Size (AS) (inches)	Colour	sku (Part Number)
			Min	Max	Min	Max	Nom	Nom	Nom	Nom			
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Shale Grey / Gull Grey	06CY141065C4BRASG
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Surfmist / Off White / Titanium	06CY141065C4BRASU
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Windspray / Dark Grey / Armour Grey	06CY141065C4BRAW S
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Woodland Grey / Pewter / Slate Grey	06CY141065C4BRAWG
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Surfmist / Off White / Titanium	06CY141075C4BRASU
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Surfmist / Off White / Titanium	06CY1410125C4BRASU
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Surfmist / Off White / Titanium	06CY1410150C4BRASU
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Surfmist / Off White / Titanium	06CY1410175C4BRASU
14g (6.30mm)	10 TPI	Coarse	6.20	6.40	24.50	25.50	6.40	11.600	20.300	20.800	3/8	Surfmist / Off White / Titanium	06CY1410200C4BRASU

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 17 Mar 2026