

Disclaimer: Images are for illustrative purposes.

Socket Allen Screw

Head Style: Cap Head

Drive Type: Internal Hex

Thread Type: Metric - Coarse


Material: Alloy Steel Heat Treated

Class Grade: High Tensile Class 12.9

Finish: Zinc Plated

Corrosion Protection Level: Moderate

Standard: DIN 912 / ISO 4762



Size	Thread Pitch (mm)	Thread Type	Product Diameter (D) (mm)		Head Diameter (A) (mm)		Head Height (H) (mm)		Driver Bit Size (AS) (mm)	sku (Part Number)
			Min	Max	Min	Max	Min	Max		
M2	0.40mm	Coarse	1.88	1.98	3.62	3.80	1.86	2.00	1	312
M2.5	0.45mm	Coarse	2.38	2.48	4.32	4.50	2.36	2.50	2	3125
M3	0.50mm	Coarse	2.87	2.98	5.32	5.50	2.86	3.00	2	313PT
M4	0.70mm	Coarse	3.83	3.97	6.78	7.00	3.82	4.00	3	314
M5	0.80mm	Coarse	4.82	5.00	8.28	8.50	4.82	5.00	4	315
M6	1.00mm	Coarse	5.82	6.00	9.78	10.00	5.70	6.00	5	316
M8	1.25mm	Coarse	7.78	8.00	12.73	13.00	7.64	8.00	6	318
M10	1.50mm	Coarse	9.78	10.00	15.73	16.00	9.64	10.00	8	3110
M12	1.75mm	Coarse	11.73	12.00	17.73	18.00	11.57	12.00	10	3112
M14	2.00mm	Coarse	13.73	14.00	20.67	21.00	13.57	14.00	12	3114
M16	2.00mm	Coarse	15.73	16.00	23.73	24.00	15.57	16.00	14	3116
M20	2.50mm	Coarse	19.67	20.00	29.53	30.00	19.73	20.00	17	3120
M24	3.00mm	Coarse	23.67	24.00	35.53	36.00	23.73	24.00	19	3124

Disclaimer:

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.