

*Disclaimer: Images are for illustrative purposes.*

## Spring Pin


**Material:** Hardened Carbon Steel

**Class Grade:** High Tensile

**Finish:** Black Oxide | Zinc Plated

**Corrosion Protection Level:** Low

**Standard:** ISO 8752



Size	Pin Diameter (D) (mm)		Inside Dia. (ID) (mm)	Wall Thickness (W) (mm)		Chamfer Length (mm)		Hole Size To Suit (mm)		Double Shear Load (KN)	sku (Part Number)
	Min	Max	Nom	Nom	Min	Max	Min	Max			
M1.5	1.70	1.80	1.10	0.30	0.20	0.30	1.50	1.60	1.580	37SP15	
M3	3.30	3.50	2.20	0.60	0.50	0.70	3.00	3.10	6.320	37SP3P	
M3.5	3.80	4.00	2.30	0.75	0.60	0.80	3.50	3.62	8.450	37SP35P	
M4	4.40	4.60	2.90	0.80	0.65	0.85	4.00	4.12	11.240	37SP4P	
M5	5.40	5.60	3.50	1.00	0.90	1.10	5.00	5.12	17.540	37SP5P	
M6	6.40	6.70	4.20	1.20	1.20	1.40	6.00	6.12	26.040	37SP6P	
M8	8.50	8.80	5.60	1.50	1.60	2.00	8.00	8.15	42.760	37SP8P	
M10	10.50	10.80	6.70	2.00	2.00	2.40	10.00	10.15	70.160	37SP10P	
M12	12.50	12.80	7.70	2.50	2.00	2.40	12.00	12.18	104.100	37SP12P	

**Disclaimer:**

Dimensional data and technical information was obtained from publicly available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.

© Bolt & Nut Australia Pty Ltd. All rights reserved.

Version: 17 Mar 2026