

*Disclaimer: Images are for illustrative purposes.*

## Thin Lock Nut

**Thread Type:** Metric - Coarse


**Thread Direction:** Right Hand

**Material:** Stainless Steel

**Class Grade:** A4-40 G316

**Corrosion Protection Level:** Ultimate

**Standard:** DIN 439



Size	Thread Pitch (mm)	Thread Type	Overall Nut Height (B) (mm)		Across Flats (AF) (mm)		Spanner Size (AF) (mm)	sku (Part Number)
			Min	Max	Min	Max		
M3	0.50mm	Coarse	1.55	1.75	5.32	5.50	5.5mm	41LS3M
M4	0.70mm	Coarse	1.95	2.20	6.78	7.00	7mm	41LS4M
M5	0.80mm	Coarse	2.45	2.70	7.78	8.00	8mm	41LS5M
M6	1.00mm	Coarse	2.90	3.20	9.78	10.00	10mm	41LS6M
M8	1.25mm	Coarse	3.70	4.00	12.73	13.00	13mm	41LS8M
M10	1.50mm	Coarse	4.70	5.00	16.73	17.00	17mm	41LS10M
M12	1.75mm	Coarse	5.70	6.00	18.67	19.00	19mm	41LS12M
M14	2.00mm	Coarse	6.42	7.00	21.67	22.00	22mm	41LS14M
M16	2.00mm	Coarse	7.42	8.00	23.67	24.00	24mm	41LS16M
M20	2.50mm	Coarse	9.10	10.00	29.16	30.00	30mm	41LS20M
M22	2.50mm	Coarse	7.30	9.10	31.00	32.00	32mm	41LS22M
M24	3.00mm	Coarse	10.90	12.00	35.16	36.00	36mm	41LS24M
M30	3.50mm	Coarse	13.90	15.00	45.00	46.00	46mm	41LS30M
M36	4.00mm	Coarse	16.90	18.00	53.80	55.00	55mm	41LS36M

**Disclaimer:**

Dimensional data and technical information was obtained from publically available sources and not acquired through standard agencies. It has been completed and compiled for reference purposes only; where discrepancies are found they are subject to change without notice. Bolt & Nut Australia makes no warranties or representations regarding the accuracy and validity of the compiled information and data. Contact the relevant standard authorities for accurate and detailed information.